



বিদ্যাসাগর বিশ্ববিদ্যালয়

VIDYASAGAR UNIVERSITY

B.Sc. Honours Examination 2021

(CBCS)

1st Semester

MATHEMATICS

PAPER—C2T

ALGEBRA

Full Marks : 60

Time : 3 Hours

The figures in the right-hand margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

Answer any four questions.

4×12

1. (a) If a_1, a_2, \dots, a_n be all positive real numbers and

$$S = a_1 + a_2 + \dots + a_n;$$

Prove that $\left(\frac{s-a_1}{n-1}\right)\left(\frac{s-a_2}{n-1}\right)\dots\left(\frac{s-a_n}{n-1}\right)$

$> a_1 a_2 \dots a_n$ unless $a_1 = a_2 = \dots = a_n$

- (b) If $\alpha, \beta, \gamma, \delta$ are the roots of the equation $t^4 + t^2 + 1 = 0$ and n is a positive integer, prove that $\alpha^{2n+1} + \beta^{2n+1} + \gamma^{2n+1} + \delta^{2n+1} = 0$.
- (c) Find the relation among the coefficients of the equation $ax^3 + 3bx^2 + 3cx + d = 0$ if its roots be in arithmetic progression. 4+5+3
- 2.** (a) Let $C[0, 1]$ be the set of all real continuous functions on the closed interval $[0, 1]$ and T be a mapping from $c[0,1]$ to \mathbb{R} defined by $T(f) = \int_0^1 f(x)dx, f \in c[0,1]$. Show that T is a linear transformation.
- (b) Let v be a real vector space with a basis $\{\bar{\alpha}_1, \bar{\alpha}_2, \dots, \bar{\alpha}_n\}$,
Examine if $\{\bar{\alpha}_1 + \bar{\alpha}_2, \bar{\alpha}_2 + \bar{\alpha}_3, \dots, \bar{\alpha}_n + \bar{\alpha}_1\}$ is also a basis of V .
- (c) Find $K \in \mathbb{R}$ so that the set $S = \{(1, 2, 1), (k, 3, 1), (2, k, 0)\}$ is linearly dependent in $1\mathbb{R}^3$. 4+5+3
- 3.** (a) Prove that $6 | n(n + 1)(n + 2), n \in \mathbb{Z}$.
- (b) Use the theory of congruence to find the remainder when the sum $1^5 + 2^5 + 3^5 + \dots + 100^5$ is divided by 5. 5+5+2
- (c) Find the values of a for which the equation $ax^3 - 6x^2 + 9x - 4 = 0$ may have multiple roots. 5+5+2
- 4.** (a) Find x if the rank of the matrix $\begin{pmatrix} 1 & 3 & -3 & x \\ 2 & 2 & x & -4 \\ 1 & 1-x & 2x+1 & -8-3x \end{pmatrix}$ be 2.

(b) Find the value of λ for which the system of equations

$$2x_1 - x_2 + x_3 + x_4 = 1, \quad x_1 + 2x_2 - x_3 + 4x_4 = 2, \quad x_1 + 7x_2 - 4x_3 + 11x_4 = \lambda$$

is solvable.

(c) If $\alpha + \beta + \gamma = 0$, Prove that $\frac{\alpha^5 + \beta^5 + \gamma^5}{5} = \frac{\alpha^3 + \beta^3 + \gamma^3}{3} \cdot \frac{\alpha^2 + \beta^2 + \gamma^2}{2}$

4+4+4

5. (a) If α, β, γ be the roots of the equation $x^3 - 2x^2 + 3x - 1 = 0$,

find the equation whose roots are $\frac{\beta\gamma - \alpha^2}{\beta + \gamma - 2\alpha}, \frac{\gamma\alpha - \beta^2}{\gamma + \alpha - 2\beta}, \frac{\gamma\beta - \gamma^2}{\alpha + \beta - 2\gamma}$

(b) Solve : $(1+x)^{2n} + (1-x)^{2n} = 0$

(c) If $S_n = 1 + \frac{1}{2} + \frac{1}{3} + \dots + \frac{1}{n}$, prove that $S_n > \frac{2n}{n+1}$ if $n > 1$. 4+5+3

6. (a) Show that $(2n + 1)^2 \equiv 1 \pmod{8}$ for any natural number n .

(b) Use Cayley Hamilton theorem, to find A^{50} where $A = \begin{pmatrix} 1 & 0 & 0 \\ 1 & 0 & 1 \\ 0 & 1 & 0 \end{pmatrix}$.

(c) Find the dimension of the subspace $S \cap T$ of \mathbb{R}^4 where

$$S = \{(x, y, z, w) \in \mathbb{R}^4 : x + y + z + w = 0\}.$$

$$T = \{(x, y, z, w) \in \mathbb{R}^4 : 2x + y - z + w = 0\}.$$

3+4+5

7. (a) If the roots of the equation $x^3 + px^2 + qx + r = 0$ are in A. P where p, q, r are real numbers, prove that $p^2 \geq 3q$.

(b) Find all values of $i^{1/7}$.

(c) Prove that for any two integers U and $V > 0$, there exist two unique integers m and n such that

$$U = mV + n, \quad 0 \leq n < V. \quad 4+4+4$$

8. (a) If $a \equiv b \pmod{m}$ and $a \equiv c \pmod{n}$, prove that $b \equiv c \pmod{d}$ where $d = \gcd(m, n)$.

(b) Find the basis for the column space of the matrix

$$\begin{pmatrix} 1 & 2 & -1 \\ 2 & 3 & 0 \\ 1 & 1 & 1 \end{pmatrix}$$

(c) Determine the conditions for which the system of equations

$$x + 2y + z = 1$$

$$2x + y + 3z = b$$

$$x + ay + 3z = b + 1$$

has unique solution, many solutions and no solution.

Answer any six questions.

6×2

9. Find the general values of the equation

$$(\cos \theta + i \sin \theta) (\cos 2\theta + i \sin 2\theta) \dots (\cos n\theta + i \sin n\theta) = -i, \text{ where } \theta \text{ is real.}$$

10. If the equation $x^4 + px^2 + qx + r = 0$ has three equal roots then show that $8p^3 + 27q^2 = 0$.

11. Solve the equations $x + py + p^2z = p^3$, $x + qy + q^2z = q^3$, $x + ry + r^2z = r^3$.

12. Find the equation whose roots are cubes of the roots of the cubic $x^3 + 3x^2 + 2 = 0$.

13. Prove that $n^2 + 2$ is not divisible by 4 for any integer n .

14. Show that the set of all points on the line $y = mx$ forms a sub space of the vector space \mathbb{R}^2 .

15. Find the number of divisors and their sum of 10800.

16. Find the greatest value of xyz where x , y and z are positive real numbers satisfying $xy + yz + zx = 27$.

17. If A and B be two square invertible matrices, then prove that AB and BA have the same eigen values.

18. Show that eigen values of the matrix $A = \begin{pmatrix} 1 & 2 & 3 \\ 2 & 4 & 5 \\ 3 & 5 & 6 \end{pmatrix}$ are all real.

—